

Diffusion-Based Joint Temperature and Precipitation Emulation of Earth System Models



Katie Christensen¹, Lyric Otto¹, Seth Bassetti²,
Claudia Tebaldi³, Brian Hutchinson^{1,4}



¹Department of Computer Science, Western Washington University

² Computer Science Department, Utah State University

³Joint Global Change Research Institute, Pacific Northwest National Laboratory

⁴AI and Data Analytics Division, Pacific Northwest National Laboratory

Overview

Motivation: Some extreme weather phenomena depend on the joint behavior of climate variables (e.g., temperature and precipitation); jointly modeling these phenomena can help to estimate risks associated with climate change.

Goal: Rapidly generate daily sequences of temperature and precipitation across a global spatial grid, conditioned on monthly means from novel climate scenarios.

Approach: Extend the DiffESM diffusion model emulator for Earth System Models (ESMs) to support conditioning on and generation of multiple climate variables.

Background

Earth System Models:

- Generate climate variables under future projections




Figure: A single day of temperature data

DiffESM:

- Denoising generative probabilistic diffusion model
- Generates $T \times H \times W$ samples over one variable of interest




Figure: Diffusion forward and reverse process

Methods

- Extend DiffESM to condition on and generate multiple variables simultaneously.
- We generate daily temp. and precip. over global grid for 28-day “months”




Figure: Training loop

Results

- DiffESM captures the relationship between variables for the IPSL-CM5A ESM




Figure: Joint distribution of temperature and precipitation on wet days (Hawaii)




Figure: Temperature distribution on dry days (Melbourne)




Figure: Pairs of difference maps and the corresponding superimposed grid-box error histograms for various metrics

Conclusions & Future Work

- Joint variable samples match the ESM in the marginal distributions and in their joint distribution
- Future work includes additional variables such as daily relative humidity, and daily high and low temperatures and additional ESMs

Acknowledgments

- This research was supported by the U.S. Department of Energy, Office of Science, as part of the GCIMS project under the MultiSector Dynamics, Earth and Environmental System Modeling Program
- Gratitude is extended to the World Climate Research Programme’s Working Group on Coupled Modelling for CMIP
- Appreciation is expressed to the climate modeling teams at the National Center for Atmospheric Research (USA) and Institut Pierre Simon Laplace (France) for sharing their model outputs