


Explainable Meta Bayesian Optimization with Human Feedback for Scientific Applications like Fusion Energy

Ricardo Luna Gutierrez¹, Sahand Ghorbanpour¹, Vineet Gundecha¹, Rahman Ejaz², Varchas Gopaldaswamy², Riccardo Betti², Avisek Naug¹, Desik Rengarajan¹, Ashwin Ramesh Babu¹, Paolo Faraboschi¹, Soumyendu Sarkar¹

¹Hewlett Packard Enterprise

²University of Rochester



This material is based upon work supported by the Department of Energy National under Award No. DE-SC0024408, Hewlett Packard Enterprise and the University of Rochester.

Challenges with Inertial Confinement Fusion

To produce **1000 megawatts** of electricity for **1 day**
(enough for a major city)

Coal
plant

Fuel consumed:



18 million lb coal

80

railroad cars


Waste produced:



61 million lb
greenhouse gases

28,000

33-foot spheres



Fuel consumed:



1.0 lb D₂, 1.5 lb T₂

3

water bottles

Waste produced:



2.0 lb helium

400


balloons

Deuterium
& Tritium
Fusion
plant


Data Source: MIT Plasma Science and Fusion Center <https://www.youtube.com/watch?v=ft4lhJK4ZTs>

Fusion is the energy source in the sun and stars, and it is Challenging


On Earth, nuclear fusion via **Inertial Containment Fusion (ICF)** takes a laser facility the size of a football field...



...generating enough laser power to fire at a **tiny payload** on the end of a pin.




In an ignited capsule, pressure and temperature are **higher than in the center of the sun**




Challenges with Inertial Confinement Fusion

The tiny payload must have an outer shell of precise thickness and interior material makeup.


The resulting implosion is like a piston compressing a gas:



Scientist-in-the-Loop Explainable Optimization with Meta-Learning




Explainable Scientist in the Loop Optimization with Meta Learning from Multi-Fidelity Simulation




Standard Bayesian Optimization – how it has been done

Refinements to Bayesian Optimization for very high sample efficiency




Optimization: Inertial Confinement Fusion with 5 input dimensions

Input variations for successive steps



Preference Model + Meta Learning

Input variations for successive steps



Meta-learned Transformer Surrogate




Scientist
In-the-Loop
for Experiment
Selection




Energy Yield
(Simulated)

Optimization Trajectory




Results: MBO-HF performance




MBO-HF outperforms baselines on all 6 benchmarks, lower the better. Shaded areas: +/- 1SD. Regrets are normalized.

Results: MBO-HF hypothesis evaluation



Comparison of different hypothesis: "Good" best-case, "Bad" worst-case, and Random sampling in preference learning initialization. Shaded areas: +/- 1SD. Regrets normalized.

Results: MBO-HF accuracy evaluation



Results of the comparison between different expert's accuracy percentages. The shaded areas represent a +/- 1SD error. Regrets are normalized.

Thank You

soumyendu.sarkar@hpe.com

This material is based upon work supported by the Department of Energy National under Award No. DE-SC0024408, Hewlett Packard Enterprise and the University of Rochester.